

KLASSIC TOOL CRIB

Circling The World With Tools For Fabrication, Customization and Restoration.

Prices Guaranteed Thru 12/31/22

Eckold HF100 HandFormer



Model #	Reach x Gap	Aluminum Capacity	Steel Capacity	Stainless Capacity	Shipping Weight	Price
HF100	4" x 2 1/4"	0.078	0.059	0.039	69 lbs	\$2,175.00
HF100K	4" x 2 1/4"	0.078	0.059	0.039	76 lbs	\$3,995.00
HF100PA100K	4" x 2 1/4"	0.078	0.059	0.039	105 lbs	\$6,585.00

The Eckold HF100 series handformer is a stationary machine with a manual drive that replaces laborious hammer work when forming metal. It is suitable for shrinking and stretching metal sheets and profiles up to a thickness of 1.5 mm (16 gauge). The single stroke of the handformer makes it possible to operate tools for notching, punching and edging. The HF100K includes one set of FWA405SSP Shrinking and FWR407SSP Stretching Jaws. The HF100PA100K is equipped with a pneumatic drive and foot pedal which allows for hands free operation. Also includes: FWA405SSP and FWR407SSP. Additional tooling available. View instructional videos at www.KlassicToolCrib.com.

GL2 Deluxe - \$2,650.00



Description	Material	Dimension
GL2 Planishing Hammer		
Planishing Insert	Steel	1.89" - R 19.685"
Curving Insert	Steel	0.71" x 1.575" - R 19.685"
Stretching Insert	Steel	1.575" - R 2.362"
Stretching Insert	Steel	1.575" - R 1.969"
Stretching Insert	Steel	1.89" - R 2.756"
Planishing Insert	Synthetic	1.89" - R 19.685"
Bank (Rectangular)	Synthetic	0.71" X 1.575" - Flat
Stretching Insert	Synthetic	1.575" - R 2.362"
Stretching	Synthetic	1.89" - 2.756"
Blank (Round) 3 pcs	Synthetic	1.89" - Flat
Regular Shaft	For Synthetic	1.575"
Swivel Shaft	For Synthetic	1.575"

HZ52 Hand Plier

The Eckold hand pliers HZ52 are specially designed for making adjustments and corrections at the worksite by stretching and even shrinking. They can handle sheet metal and profiles up to .039" thickness or aluminum up to .059" thickness. HZ52 hand pliers are used for correcting or adjusting metal profiles and sheet flanges by shrinking or stretching.

Model #	Aluminum Capacity	Steel Capacity	Stainless Capacity	Weight	Price
HZ52	0.078	0.059	0.039	8.37 lbs	\$1,375.00

Throat Vertical	Total Length	Clinching Variants
2.75"	27"	S-DF 4

Model #	Туре	Function	Price
FWA405 (STD)	40mm	Shrinking	\$865.00
FWR407 (STD)	40 mm	Stretching	\$865.00



We are excited to announce the launch of our new and improved website.

Please visit us at

KlassicToolCrib.com.

KTC152 Ultimate Kit - \$499.00

This 45 piece kit comes with semi-tubular, oval, AN470, AN455, AN430, AN442 & dimple die sets (male and female) for sizes 3/32,1/8, 5/32 & 3/16. Also has assorted flush sets. All Sets are .187 shank. Custom Foam molded box with 1 ½" hand rivet Squeezer and 2" & 3" yokes and quick release pins. The Hand Squeezer has adjustable set holder to easily adapt to multiple riveting applications. Tool is made of Stainless steel and quality craftsmanship.



Includes custom foam molded carrying case.

KTC1003 Rivet Gun Kit - \$335.00

This great starter kit includes your choice of either the 3X or 4X rivet gun. Provides the tools you need with four straight rivet sets, two flush sets, four of the most popular bucking bars and two rivet gun springs. Unique design of the carrying case allows the air regulator to remain attached during storage.

Includes: 3x or 4x rivet gun
Straight AN470 rivet sets: 3/32, 1/8, 5/32 & 3/16
Offset AN470 rivet sets: 3/32, 1/8, 5/32, 3/16 & 1/4
1 Flush Set
1 Flush Set with Rubber Guard
Bucking bars: KTC670DB, KTC638DB, KTC647DB, KTC681DB
Air tool regulator: KTC202
Beehive spring: KTC167
Mechaid spring: KTC168
Red molded box.





KTC Rivet Sets - .401 Shank Cupped Rivet Sets

Manufactured from Industrial-Grade high alloy steels

Cuppings of all sets and flush set faces are polished to a high luster All shanks are precision ground

In addition to the complete range of tools listed, we also welcome specials

All tools heat-treated to exacting standards to insure long tool life Manufacturing methods assure uniform tools with accurate cuppings free from all tool marks

AN470 Universal Rivet Set - Straight



Model #		Rivet Body Diameter	Rivet Set Length	Price
	SM10-4703	3/32"	3 1/2"	9.00
	SM10-4704	1/8"	3 1/2"	9.00
	SM10-4705	5/32"	3 1/2"	9.00
	SM10-4706	3/16"	3 1/2"	9.00
	SM10-4708	1/4"	3 1/2"	9.00

AN470 Universal Rivet Set - 10° Offset



	Model #	Rivet Body Diameter	Rivet Set Length	Price
	SM20-4703	3/32"	3 1/2"	9.00
	SM20-4704	1/8"	3 1/2"	9.00
	SM20-4705	5/32"	3 1/2"	9.00
	SM20-4706	3/16"	3 1/2"	9.00
	SM20-4708	1/4"	3 1/2"	9.00

AN455 Braizer Rivet Set - Straight



Model #	Rivet Body Diameter	Rivet Set Length	Price		
SM10-4553	3/32"	3 1/2"	9.00		
SM10-4554	1/8"	3 1/2""	9.00		
SM10-4555	5/32"	3 1/2"	9.00		
SM10-4556	3/16"	3 1/2"	9.00		
SM10-4558	1/4"	3 1/2"	10.00		

AN430 Round Rivet Set - Straight



Model #	Rivet Body Diameter	Rivet Set Length	Price
SM10-4303	3/32"	3 1/2"	10.00
SM10-4304	1/8"	3 1/2"	10.00
SM10-4305	5/32"	3 1/2"	10.00
SM10-4306	3/16"	3 1/2"	10.00
SM10-4308	1/4"	3 1/2"	10.00

AN450 Tubular Rivet Set - Straight



Model #	Rivet Body Diameter	Rivet Set Length	Price
SM10-4503	3/32"	3 1/2"	17.00
SM10-4504	1/8"	3 1/2""	17.00
SM10-4505	5/32"	3 1/2"	17.00
SM10-4506	3/16"	3 1/2"	17.00
SM10-4508	1/4"	3 1/2"	17.00

AN442 Flat Head Rivet Set - Straight



Model #	Rivet Body Diameter	Rivet Set Length	Price
SM10-4423	3/32"	3 1/2"	10.00
SM10-4424	1/8"	3 1/2"	10.00
SM10-4425	5/32"	3 1/2"	10.00
SM10-4426	3/16"	3 1/2"	10.00
SM10-4428	1/4"	3 1/2"	10.00

Flush Sets - Straight



Model #	Shank	Body Diameter	Length	Price
SM90	.401"	1"	2 1/2"	12.00
SM91	.401"	1"	3"	14.00
SM92	.401"	1"	5 1/2"	19.00
SM94	.401"	1 1/4"	3"	19.00
SM95	.401"	1 1/4"	5 1/2"	20.00

KLASSIC TOOL CRIB

Circling The World With Tools For Fabrication, Customization and Restoration.

KTC Squeezer Cupped Rivet Sets - .187 Shank

Manufactured from Industrial-Grade high alloy steels Cuppings of all sets and flush set faces are polished to a high luster All sets are heat treated to exacting standards to insure long life Body diameters are ground Manufacturing methods assure uniformly good tools with accurate cuppings free from all tool marks.

In addition to the complete range of tools listed, we also welcome specials. Squeezer sets also come in .250, .312, & .375 shank diameter.

AN470 Universal Squeezer Sets - .187 Shank





Model #	Rivet Body Diameter	Set Length	Price
SM200-4703	3/32"	1/4"	7.00
SM200-4704	1/8"	1/4"	7.00
SM200-4705	5/32"	1/4"	7.00
SM200-4706	3/16"	1/4"	7.00
SM200-4708	1/4"	1/4"	7.00
	SM200-4703 SM200-4704 SM200-4705 SM200-4706	Model # Diameter SM200-4703 3/32" SM200-4704 1/8" SM200-4705 5/32" SM200-4706 3/16"	Model # Diameter Length SM200-4703 3/32" 1/4" SM200-4704 1/8" 1/4" SM200-4705 5/32" 1/4" SM200-4706 3/16" 1/4"

KAT Squeezer Flush Rivet Sets - .187 Shank

AN430 Round Squeezer Sets - .187 Shank



	Model #	Set Body Length	Set Diameter	Price
	SM210	3/32"	1/4"	6.00
ank	SM211	1/8"	1/4"	6.00
	SM212	5/32"	1/4"	6.00
	SM213	3/16"	1/4"	7.00
	SM214	1/4"	1/4"	7.00

AN455 Brazier Head Squeezer Sets - .187 Shank



Model #	Rivet Body Diameter	Set Length	Price
SM200-4553	3/32"	1/4"	8.00
SM200-4554	1/8"	1/4"	8.00
SM200-4555	5/32"	1/4"	8.00
SM200-4556	3/16"	1/4"	8.00
SM200-4558	1/4"	1/4"	8.00

Mode

Model #	Rivet Body Diameter	Set Length	Price
SM200-4303	3/32"	1/4"	8.00
SM200-4304	1/8"	1/4"	8.00
SM200-4305	5/32"	1/4"	8.00
SM200-4306	3/16"	1/4"	8.00
SM200-4308	1/4"	1/4"	8.00

AN450 Semi-Tublar Squeezer Sets -. 187 Shank



Model #	Rivet Body Diameter	Set Length	Price
SM200-4502	1/16"	1/4"	19.00
SM200-4503	3/32"	1/4"	19.00
SM200-4504	1/8"	1/4"	19.00
SM200-4505	5/32"	1/4"	19.00
SM200-4506	3/16"	1/4"	19.00
SM200-4508	1/4"	1/4"	19.00
SM200-45010	5/16	1/4"	19.00

Oval Style Set - .187 Shank



Model #	Rivet Body Diameter	Set Length	Price
SM200-2Oval	1/16"	1/4"	16.00
SM200-3Oval	3/32"	1/4"	16.00
SM200-4Oval	1/8"	1/4"	16.00
SM200-5Oval	5/32"	1/4"	16.00
SM200-6Oval	3/16"	1/4"	16.00
SM200-8Oval	1/4"	1/4"	16.00
SM200-10Oval	5/16	1/4"	16.00

KTC164-CFDK Squeezer Set Kit - \$95.00

Comes with

4 AN470 squeezer sets (3/32, 1/8, 5/32, & 3/16)

4 Dimple Die Sets (male and female) (3/32, 1/8, 5/32, & 3/16)

7 Flush Sets with thickness of 1/8, 3/16, 1/4, 5/16, 3/8, 7/16 & 1/2

All have .187 standard shank size. Highly polished heat treated steel sets. Comes in a FOD style carrying case.





KAT112 Pistol Grip "Palm" Drill Motor - 1/4" - \$135.00



The KAT112 is a small, lightweight Pistol grip air drill with plenty of power. Designed to fit in the palm of your hand. High quality, designed for professional use. Features include progressive throttle, rotatable rear exhaust, 1/4" air inlet, 3/8" x 24 threaded spindle, 1/4" chuck and key, smooth quiet operation and one-year warranty.

Model #	Style	RPM	Chuck Size	Length	Weight
KAT112	Non-Reversible	3000	1/4"	6"	1.76 lbs

KAT112-Mini Pistol Grip "Palm" Drill Motor - 1/4" - \$185.00



The KAT112-Mini is one of the smallest drills on the market with a short body length to fit into tight areas. Lightweight air drill with plenty of power. Short mini design fits in the palm of your hand. High quality, designed for professional use. Features include progressive throttle, rear exhaust, 1/4" air inlet, 3/8" x 24 threaded spindle, 1/4" chuck and key, smooth quiet operation and one-year warranty.

Model #	Style	RPM	Chuck Size	Length	Weight
KAT112-Mini	Non-Reversible	2800	1/4"	5 5/8"	1.30 lbs

KAT113 - 90° Angle Drill Motor - \$315.00

High quality designed for professional use. Features include rear exhaust, a milled motor housing, steel alloy cylinder and rotor for long tool life. Precision machined for smooth and quiet operations. The 90° attachment accepts all ¼" x 28 threaded drill bits and cutters. Designed to fit into difficult areas, the angle head height is 1.06" and 0.319" side to center. Lightweight 1.90 lbs. Overall length is 10-11/16".

Model #	Style	RPM	Length	Weight
KAT113	90°	3000	10 11/16"	1.90 lbs



KTC255 - KTC256 - KTC257 Threaded Shank Drill Bits 135° - Cobalt

- Industrial-Grade NAS Cobalt Steel Made in the USA
- Superior red hardness for high temperature applications
- Built to NAS 965 standards
- Split Point will penetrate on contact to prevent "walking"- 135°
- · Less load pressure required.
- Material Application Steel (low and medium carbon), Alloy, Stainless, Strength Alloys
- Hard surface with High Lubricity
- Additional Fractional and Letter also available, please inquire







KTC255 Long

Model #-Size	Dec Equiv	Overall Length	Price
KTC255-40	0.0980	2-1/8"	\$2.55
KTC2551/8	0.1250	2-1/8"	\$2.70
KTC255-30	0.1285	2-1/8"	\$2.70
KTC255-27	0.1440	2-1/8"	\$2.70
KTC255-5/32	0.1562	2-1/8"	\$2.70
KTC255-21	0.1590	2-1/8"	\$2.70
KTC255-20	0.1610	2-1/8"	\$2.70
KTC255-16	0.1770	2-1/8"	\$2.95
KTC255-13	0.1850	2-1/8"	\$2.95
KTC255-3/16	0.1875	2-1/8"	\$2.95
KTC255-11	0.1910	2-1/8"	\$2.95
KTC255-10	0.1935	2-1/8"	\$2.95
KTC255-1/4	0.2500	2-1/8"	\$3.20
KTC255-F	0.2570	2-1/8"	\$4.40

KTC256 Standard

Model #-Size	Dec Overall Equiv Length		Price
KTC256-40	0.0980	1"	\$2.25
KTC256-1/8	0.1250	1-1/4"	\$2.25
KTC256-30	0.1285	1-1/4"	\$2.25
KTC256-27	0.1440	1-1/4"	\$2.45
KTC256-5/32	0.1562	1-1/4"	\$2.45
KTC256-21	0.1590	1-1/4"	\$2.45
KTC256-20	0.1610	1-1/4"	\$2.45
KTC256-16	0.1770	1-1/4"	\$2.70
KTC256-13	0.1850	1-1/4"	\$2.70
KTC256-3/16	0.1875	1-1/4"	\$2.70
KTC256-11	0.1910	1-1/4"	\$2.70
KTC256-10	0.1935	1-1/4"	\$2.70
KTC256-1/4	0.2500	1-1/4"	\$3.20
KTOOFO F	0.0570	4 4/4"	04.00

KTC257 Stubby

Model #-Size	Dec Equiv	Overall Length	Price
KTC257-40	0.0980	1/2"	\$2.45
KTC257-1/8	0.1250	9/16"	\$2.55
KTC257-30	0.1285	9/16"	\$2.55
KTC257-27	0.1440	9/16"	\$2.55
KTC257-5/32	0.1562	9/16"	\$2.70
KTC257-21	0.1590	9/16"	\$2.70
KTC257-20	0.1610	9/16"	\$2.70
KTC257-16	0.1770	9/16"	\$2.70
KTC257-13	0.1850	9/16"	\$2.70
KTC257-3/16	0.1875	9/16"	\$2.70
KTC257-11	0.1910	9/16"	\$2.70
KTC257-10	0.1935	9/16"	\$2.70
KTC257-1/4	0.2500	9/16"	\$2.95
KTC257-F	0.2570	9/16"	\$4.20



Circling The World With Tools For Fabrication, Customization and Restoration.

KTC250 - 90° Angle Drill Attachment - \$139.00



The KTC250 can be used with any drill chuck with a capacity of 1/4" or larger. The 90° attachment accepts all 1/4" x 28 threaded drill bits and cutters. Designed to fit into difficult areas, the angle head height is 1.06" and 0.319" side to center. Overall length is 7.2".

KTC280 Micro Stop Countersink - Ball Bearing - "NO MAR" - \$29.00



Wide Flange Style

The KTC280 Ball Bearing Micro Stop Countersink Cage includes a wide flange No Mar protective footpiece which helps to reduce scratches and tool marks to even the most sensitive areas. The unit is adjustable in increments of 0.001" for precision countersinking. Features include $\frac{1}{100}$ " shank, with $\frac{9}{32}$ " shaft travel, $\frac{1}{100}$ " x 28 thread and will accept cutters up to $\frac{5}{8}$ " diameter. Ball Bearing design provides for a smooth operation and excellent spindle support. Rated for up to $\frac{1}{100}$ 000 rpm use.

KTC279 Standard Micro Stop Countersink - \$29.00



The KTC278 Standard Micro Stop Countersink Cage is adjustable in increments of 0.001" for precision countersinking. Features include $\frac{1}{2}$ " shank, with 9/32" shaft travel, $\frac{1}{2}$ " x 28 thread, and will accept cutters up to $\frac{1}{2}$ " diameter. The small diameter is perfect for tight areas including seat tracks. Rated for up to 3,000 rpm use.

KTC277 "Mini" Micro Stop Countersink - \$26.00



The KTC277 is designed with a $\frac{1}{4}$ " x 28 threaded spindle which can be operated in angle drills. The "Mini" Micro Stop Countersink Cage is adjustable in increments of 0.001" for precision countersinking. Features include 1.65" in length, the $\frac{1}{4}$ " x 28 threaded spindle, $\frac{3}{32}$ " shaft travel, $\frac{1}{4}$ " x 28 thread, and will accept cutters up to $\frac{9}{16}$ " diameter. Rated for up to $\frac{3}{000}$ rpm use.

KTC283 Integral Pilot Countersink Cutters 100° - High Speed Steel (HSS)



The KTC283 series countersink cutters are made from quality High Speed Steel. Precision ground to exacting tolerances and relieved to ensure concentricity of the countersink angle. Cutters are designed to work with all adjustable stop or micro stop countersinking units. Three flute design with a ¼" x 28 threaded shank. They are also used with angle drills and attachments with the same specifications. Please contact for sizes not shown.

Model #	Pilot Size	Body Diameter	Price	Model #	Pilot Size	Body Diameter	Price	Model #	Pilot Size	Body Diameter	Price
KTC283-40	#40	7/16"	8.00	KTC283-3/8-40	#40	3/8"	\$7.50	KTC283-1/2-40	#40	1/2"	\$8.00
KTC283-30	#30	7/16"	8.00	KTC283-3/8-30	#30	3/8"	\$7.50	KTC283-1/2-30	#30	1/2"	\$8.00
KTC283-27	#27	7/16"	8.00	KTC283-3/8-27	#27	3/8"	\$7.50	KTC283-1/2-27	#27	1/2"	\$8.00
KTC283-21	#21	7/16"	8.00	KTC283-3/8-21	#21	3/8"	\$7.50	KTC283-1/2-21	#21	1/2"	\$8.00
KTC283-20	#20	7/16"	8.00	KTC283-3/8-20	#20	3/8"	\$7.50	KTC283-1/2-20	#20	1/2"	\$8.00
KTC283-16	#16	7/16"	8.00	KTC283-3/8-16	#16	3/8"	\$7.50	KTC283-1/2-16	#16	1/2"	\$8.00
KTC283-12	#12	7/16"	8.00	KTC283-3/8-12	#12	3/8"	\$7.50	KTC283-1/2-12	#12	1/2"	\$8.00
KTC283-10	#10	7/16"	8.00	KTC283-3/8-10	#10	3/8"	\$7.50	KTC283-1/2-10	#10	1/2"	\$8.00
KTC283-3/16	3/16"	7/16"	8.00	KTC283-3/83/16	3/16"	3/8"	\$7.50	KTC283-1/2-3/16	3/16"	1/2"	\$8.00
KTC283-1/4	1/4"	7/16"	8.00	KTC283-3/8-1/4	1/4"	3/8"	\$7.50	KTC283-1/2-1/4	1/4"	1/2"	\$8.00



KAT351PU Pneumatic Roof Punch - \$4,995.00



The KAT351PU Pneumatic Roof Punch is designed to punch a clean, burr free hole that is much faster and cleaner than drilling. The pneumatic punch delivers 5,400 lbs. of force, which provides enough power to punch through 3/16" thick material. It has a 1-7/8" reach and a 1/2" gap. 21" overall length. Specify punch and dies when ordering. Created for the semi-truck trailer industry for punching roof rail holes rather that drilling.

KAT351RY Roof Top Rail Rivet Squeezer - \$1,995.00

The KAT351RY Roof Top Rail Rivet Squeezer is perfect for installing 3/16" and 1/4" rivets on most tractor trailer roof rails. Yoke reach is 1 7/8" with 1 3/16" gap. Accepts .187 shank squeezer sets.

• KTC846 Roof Top Rail Yoke Kit fits KAT351C and CP-0351 series compression riveters with type 1 frames. Kit comes complete with C-yoke, bolts, and nylock nuts.



KTC Wrench Style Rivnut Tool (Small & Large Sizes)



The KTC Wrench Style Rivnut tool is ideal for occasional or limited use. Will also let you apply more pull-up force than is generally available from the lever type rivnut tool. Hold the body with a wrench and turn the pull-up stud with the supplied wrench. Metric sizes indicated by *.

Model #	Mandrel Size	Price
KTC242-440	4/40	45.00
KTC242-632	6/32	45.00
KTC242-832	8/32	45.00
KTC242-1032	10/32	45.00
KTC242-1024	10/24	45.00
KTC242-1/4-20	1/4-20	45.00
KTC242-1/4-28	1/4-28	45.00
KTC242-M4*	M4*	65.00
KTC242-M5*	M5*	65.00
KTC242-M6*	M6*	65.00

Model #	Price
KTC243-5/16-18	65.00
KTC243-5/16-24	65.00
KTC243-3/8-16	65.00
KTC243-3/8-24	65.00
KTC243-1/2-13	95.00
KTC243-1/2-20	95.00
KTC243-M8*	95.00
KTC243-M10*	95.00
	-

KAT300K Pneumatic Rivet Shaver Kit - \$795



The KAT300K Pneumatic Rivet Shaver Kit includes the KAT300 pneumatic Rivet Shaver, 7 rivet shaver skirts, 7 solid carbide blade rivet shaver bits and comes in a tool bag.

Skirt and Bit Sizes: (5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4")



Circling The World With Tools For Fabrication, Customization and Restoration.

KTC Rivet Spacing Tool

The KTC Rivet Spacing Tools are used to evenly locate rivet spacing from between 1/2" to 2" in 1/4" increments. Designed for layout and marking of equal spacing and are not intended to act as a drill guide. Made of stainless steel.

Model #	Fingers/Holes	Opening	Price
KTC228	20	38" at 2"	\$29.00
KTC228A	10	18" at 2"	\$22.00

KTC229 Heavy Duty Rivet Cutter - \$36.00



The KTC229 Heavy Duty Rivet cutter is ideal for heavy use. This cutter will handle rivets from 1/16" to 1/4" diameter aluminum. Adjustable stops allow for cutting to the same length every time. The shortest length this tool will cut is 1/4".

KTC230 Shophead Rivet Gauge - \$16.00



The KTC230 Shophead Rivet Gauges are color coded by rivet size for easy identification. Gauges measure the minimum height and diameter of the shophead after setting. Fast and easy to use.

KTC231 Rivet Length Gauge - \$9.00



The KTC231 Rivet Length Guage is designed to check the length of the rivet before it is set. Gauge will measure -3, -4, -5 and -6 rivets.

KTC Screw Removal Tool

Used with a .401" shank rivet gun, this tool is designed to easily loosen corroded or painted screws, nuts or bolts. Will also create a new grip in Phillips head screws that have been rounded out. Once the screw is freed up, it is a simple matter of removing it with a screwdriver. Standard .401" Parker taper shank, 3/8" square drive and a 1/4" hex adapter for Phillips or slotted bits and accepts 3/8" square drive standard sockets for nuts and bolts.



Model #	Shank	Overall Length	Price
KTC199K	.401"	7"	\$28.00
KTC200K	.401"	4"	\$28.00

KTC565 Aluminum Mini Vacuum - \$32.00



The KTC565 Aluminum Mini Vacuum is designed as a small light weight tool with plenty of power. Vacuum uses 90 to 120 psi and creates enough vacuum to pick up nuts, bolts, rivets, chips, dust etc. A great shop tool as well as a handy vacuum to clean up in the cock pit or in other confined areas 1/4" air inlet.

KTC490 Tool Pouch - \$16.00

The KTC490 Military Style Tool Pouch is made of heavy duty material. An ideal pouch to carry your tools on the job, in the shop, aircraft, car or boat. It has a heavy duty zipper and a full length pocket on both the inside and outside. Pouch has a reinforced bottom and heavy duty carrying straps.

